

A POSITIVE FIRST IMPRESSION FROM THE FIRST PRINTED PAGE.

The A3 colour multifunctional systems promise to improve everyday office work – and they deliver on that promise. Whether copying, printing or scanning, the improved ease of use is evident even at the preparation stage. Additional scanning options, such as the dual scanner with ultrasonic sensor for multi-page detection, make for smoother work processes requiring less paper. A print resolution of up to 1,200 x 1,200 dpi ensures detailed, high-quality printouts. Versatile finishing options allow the user to create professional brochures and presentations. The 10.1 inch colour touch display with its slimmed-down buttons ensures clear and intuitive control over the multifunctional system. It's never been easier to get your work done. Guaranteed!



DIGITAL MULTIFUNCTIONAL
 COLOUR SYSTEM

**4007ci / 5007ci
 6007ci**

Copy / Print / Scan / Fax

A3

HIGHLIGHTS:



Goodbye to paper: If you want to move towards a paperless way of life in your office, opt for a document feeder with an ultrasonic sensor for multi-feed detection. Original documents can be scanned and digitised at a rate of up to 220 images per minute, at 300 dpi in colour and black and white. Additionally, the integrated HyPAST™ interface makes it possible to use a range of different HyPAST™ applications, as well as to incorporate customer-specific software solutions that will make your work more sustainable and require less paper.



Flexibility at its best: Paper weights of 52 to 300 g/m² and formats ranging from A6R to SRA3 are processed from the paper cassette. Thanks to the space-saving internal finisher with capacity for 50 A4-sheet stapling and the 4,000-sheet finisher with 100-sheet stapling capacity, larger projects can be professionally stapled and hole punched*. The final touch on finishing options is the brochure module*. It allows for the creation of perfect brochures of up to 80 pages. To make all this possible, the system can hold up to 7,150 sheets.



Play it safe: Security in office communication is a challenge for any company. To help protect your data, our systems already fulfill important safety standards in basic configuration. This security solution protects your confidential information from the very beginning, at system level: it overwrites and encrypts copy, scan and print data even before it's saved to disk. In addition, the memory area for output data is automatically wiped clean.



Mother Nature says thank you: It's very important to us to use resources carefully. The systems therefore not only come with improved TEC values – they also avoid waste thanks to their longevity. The systems have been designed to meet future environmental and energy requirements. We're always thinking ahead.

4007ci / 5007ci / 6007ci

TECHNICAL DATA



GENERAL

Type	Desktop
Function	Copy, print, scan, optional: fax
Print technology	Laser colour and b/w
Original format	max A3 from platen glass
Copy/print speed	<i>4007ci</i> : max 40 A4 pages/min and max 20 A3 pages/min in colour and b/w, <i>5007ci</i> : max 50 A4 pages/min and max 25 A3 pages/min in colour and b/w, <i>6007ci</i> : max 55 A4 pages/min and max 27 A3 pages/min in colour and max 60 A4 pages/min and max 30 A3 pages/min in b/w
1st page (Copy/Print)	Colour: 5.9/6.5 seconds*, b/w: 4.5/5.1 seconds* (<i>4007ci</i>), Colour: 4.8/5.4 seconds*, b/w: 3.7/4.3 seconds* (<i>5007ci</i>), Colour: 4.4/5.1 seconds*, b/w: 3.4/3.8 seconds* (<i>6007ci</i>)
Warm-up time	17 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	2 x 500 sheet universal cassettes (cassette 1: A6R-A4, cassette 2: A6R-SRA3 [320 x 450 mm]), 150 sheet multi-bypass (A6R-SRA3, Banner [305 x 1,219 mm]), SRA3 and banner only for printing
Paper weights	Universal cassette 52-300 g/m ² , multi-bypass 52-300 g/m ² , duplex 64-256 g/m ²
Paper output	500 sheet A4
System memory	4 GB RAM, 8 GB SSD/320 GB HDD**
Continuous copying	1-9,999 copies
Zoom	25 %-400 % in steps of 1 %
Functions	Adjustable capacitive colour touch screen (10.1 inch), duplex, 1,000 management codes, skip blank pages, motion sensor etc.

DIMENSIONS/WEIGHT

Dimensions	790 x 602 x 665 mm (H x W x D)
Weight	approx. 95 kg

ENVIRONMENT

Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,750 W max, approx. 624/733/851 W in operation (<i>4007ci/5007ci/6007ci</i>), approx. 60 W in stand-by mode, approx. 0.7 W in sleep mode, TEC value: 1.899/2.458/3.078 kWh/week (<i>4007ci/5007ci/6007ci</i>)
Safety	GS/TÜV, CE, Trusted Platform Module (TPM)

PRINT SYSTEM

Type	Integrated within the system
Print format	A6R-SRA3
Print resolution	600 x 600 dpi, max 1,200 x 1,200 dpi
Processor	Freescaler QorIQ T1024 (Dual Core) 1.2 GHz
Interfaces	USB 3.0, USB 2.0, 10/100/1000BaseTX, USB host, NFC
Network protocols	TCP/IP, Net BEUI
Operating systems	Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016, Novell NetWare***, Linux, Mac ex OS 10.9
Emulations	PCL6 (5e, XL), KPDL 3 (PostScript 3 compatible), XPS, PDF 1.7, PRESCRIBE IIc
Functions	USB direct printing, PDF/XPS direct printing, printing of e-mails, private printing, barcode printing, Mobile Print (Android/iOS)/Apple AirPrint, Google Cloud Print

SCAN SYSTEM

Scan type	CGD colour and b/w
Scan format	max A3
Scan speed	max 120 (simplex) or 220 (duplex) A4 originals/min in colour and b/w with DP-7130 (300 dpi)
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, optimised for OCR
File types	TIFF, PDF, PDF/A, high compression PDF, encrypted PDF, JPEG, XPS, Open XPS
Interface	10/100/1000BaseTX
Network protocol	TCP/IP
Operating systems	Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016
Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP

OPTION FAX SYSTEM 12

Compatibility	Super G3
Original format	max A3
Modem speed	33.6 kbps
Transmission speed	3 seconds or less using JBIG
Compression method	JBIG, MMR, MR, MH
Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi), 600 x 600 dpi
Fax memory	170 MB
Abbreviated dial	2,000 numbers
One touch dial	1,000 numbers
Group dial	500 numbers
Operating systems	Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016
Functions	Network fax driver, automatic redialling, delayed transmission, max 2 fax kits for parallel transmission and reception

OPTIONS

Original feeder	DP-7100 document processor with automatic reverse function (A6R-A3, capacity: 140 sheet A4, paper weight 35-160 g/m ²), DP-7110 document processor with simultaneous duplex scanning (A6R-A3, capacity: 270 sheet A4, paper weight 35-220 g/m ²), DP-7130 document processor with simultaneous duplex scanning and ultrasonics sensor for multi-feed detection (A6R-A3, capacity: 270 sheet A4, paper weight 35-220 g/m ²)
Platen cover	Platen cover type E (if document processor is not installed)
Finisher	DF-7100 internal finisher (capacity: 500 sheet A4, stapling max 50 sheet A4), DF-7120 (capacity: 1,000 sheet A4, stapling max 50 sheet A4), DF-7110 (capacity: 4,000 sheet A4, stapling max 65 sheet A4), DF-7130 (capacity: 4,000 sheet A4, stapling max 100 sheet A4), PH-7120 hole punch unit for DF-7100, PH-7C hole punch unit for DF-7120/7110/7130, BF-730 brochure module for DF-7110 (max 20 sheet saddle stitching and folding A4/A3, tri-folding max 5 sheet A4), BF-9100 brochure module for DF-7130 (max 20 sheet saddle stitching and folding A4/SRA3, tri-folding max 5 sheet A4), MT-730 (B) multi tray for DF-7110
Job Separator	JS-7100: 100 sheet
Paper feed	PF-7100 (2 x 500 sheet universal cassettes [A5R-SRA3]), PF-7110 (2 x 1,500 sheet large capacity cassette [A4]), PF-7120 (3,000 sheet large capacity tray [A4], side deck)
Other options	Scan extension kit (A), Internet fax kit (A), Card authentication kit (B), Keyboard holder 10, Banner guide 10, UG-33 ThinPrint® kit, UG-34 Emulation option kit, IB-50 Gigabit Ethernet card, IB-51 WLAN card, IB-35 WLAN card, DT-730 (B) Document tray, NK-7120 Numeric Keyboard (10 keys), cabinet no. 76, Fiery® Controller (Printing System 15)

*Depending on operating status.

**For copy, print, scan, fax.

***optional

Specifications subject to change without notice.

Image shows machine with optional accessories.

The 4007ci, 5007ci and the 6007ci are manufactured in accordance with the requirements of the Energy Star Program.

UTAX has been a trade mark for professional office technology since 1961. As the partner of a German wide dealer network and international distribution, we are specialised in the distribution and integration of printing, copying and multifunctional systems in corporate IT and public sector, amongst others. With the MDS solution UTAX smart for example, output systems can be controlled regardless of the manufacturer and the infrastructure can be optimised in line with demands. UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trade marks of TA Triumph-Adler GmbH. All other brand names referred to are registered trade marks of the respective manufacturers.

